

## INDEX

	<u>Paragraph</u>	<u>Page</u>
Air filter . . . . .	2.14	63
Air gap . . . . .	2.18	67
Air pressure faults . . . . .	2.39	97
Air reservoir . . . . .	1.6	10
Air system . . . . .	2.14	63
Airbrakes . . . . .	1.9, 1.39	14, 40
Airbrake equipment . . . . .	1.10	15
Alining		
air gap . . . . .	<u>2.18a</u>	67
coupling . . . . .	<u>2.18b</u> q	67
shafts . . . . .	2.6	54
Alternating current . . . . .	1.26	28
Alternator . . . . .	1.26	28
American Standards Association . . . . .	1.19	22
Ammeter . . . . .	1.22, 2.21	25, 77
Ampere . . . . .	1.14	20
Angular misalinement . . . . .	2.6	54
Armature . . . . .	1.25, 1.26	27, 28
Atmospheric pressure . . . . .	1.5	9
Auxiliary generator . . . . .	<u>1.27a</u> , 1.43	31, 44
Auxiliary power system . . . . .	1.43	44
Axle bearings . . . . .	2.4	49
Axle gears . . . . .	2.19	68
Axles . . . . .	1.11, 2.7	16, 55
Babbitt metal . . . . .	2.4	49
Banding . . . . .	2.19	68
Banding machine . . . . .	<u>2.19c</u>	68
Battery . . . . .	2.28	44, 85
faults . . . . .	2.38	97
Bearing alinement		
clearance . . . . .	2.4	49
shells . . . . .	2.4	49
Bearings . . . . .	2.4, 2.29	49, 86
assemblies . . . . .	<u>2.19g</u>	74
Bedplate (oil pan) . . . . .	1.3	5
Bell . . . . .	1.12	17
Belt tension . . . . .	2.5	53
Brake cutout cocks . . . . .	<u>1.10a</u>	15
Brakes . . . . .	2.8	57
air . . . . .	1.9	14
dynamic . . . . .	1.39	41
faulty . . . . .	2.40	98

	<u>Paragraph</u>	<u>Page</u>
Brakeshoe . . . . .	1.9	14
Brushes . . . . .	1.26	28
commutator . . . . .	2.23	77
Bushings . . . . .	2.8	57
Bypass, electrical . . . . .	1.22	25
Cab heaters . . . . .	1.12	17
Cam . . . . .	1.4	7
Camshaft . . . . .	1.4	7
Circuit . . . . .	1.14, 1.34, 1.38	20, 36, 40
breaker . . . . .	1.24	27
Closed circuit . . . . .	1.18	22
Coils . . . . .	1.25, 1.26, 2.21	27, 28, 77
Combustion . . . . .	1.4	7
Combustion chamber . . . . .	1.6	9
knock . . . . .	1.5	9
Commutator . . . . .	1.26 <u>a</u> , 2.19 <u>c</u> , 2.23	29, 68, 77
Compression . . . . .	1.4, 1.5	7, 9
Compression ignition . . . . .	1.2	3
Compressor . . . . .	1.5	9
Compressor governor . . . . .	1.9	14
Conductor . . . . .	1.9	14
Connecting-gear ratio . . . . .	1.27	31
Connecting rod . . . . .	1.3, 1.4, 2.3	5, 7, 48
Contactors . . . . .	1.34	36
Contacts . . . . .	2.19	68
Contamination of oil . . . . .	1.8	13
Control switch . . . . .	1.41	42
Conversion, of heat into fuel . . . . .	1.2	3
Cooling system . . . . .	1.7, 2.13	12, 63
oil . . . . .	1.8	13
water . . . . .	1.7, 1.12	12, 17
Corrosion inhibitor . . . . .	2.13	63
Crankshaft . . . . .	1.4	7
Current . . . . .	1.22	25
Cutout cock . . . . .	1.10 <u>a</u>	15
Cutout switch . . . . .	1.33	35
Cylinder . . . . .	2.8	57
arrangement . . . . .	1.3	5
block . . . . .	1.3	5
Deadman control . . . . .	1.9	14

	<u>Paragraph</u>	<u>Page</u>
Depot maintenance . . . . .	2.1	47
Detergent oil . . . . .	2.12	61
Dielectric test . . . . .	2.31 <u>b</u>	88
Differential field . . . . .	1.30	34
Dipping and baking . . . . .	2.22	77
Dipping insulation . . . . .	2.19	68
Direct current . . . . .	1.26	28
Direct support maintenance . . . . .	2.1	47
Doubleheading . . . . .	1.42	44
Dynamic braking . . . . .	1.39	41
Dynamo . . . . .	1.25	27
Eddy current . . . . .	1.26	28
Electric drive . . . . .	1.34	36
Electric system . . . . .	1.14	20
Electrical symbols . . . . .	1.19	22
Electromagnet . . . . .	1.27	31
Electromotive force . . . . .	1.26	28
Engine . . . . .	1.2-1.13	3-19
Engine heaters . . . . .	1.12	17
Engine operation, faulty . . . . .	2.34	91
Engine starting contactor . . . . .	2.19 <u>a</u>	68
Exciter . . . . .	1.28, 1.30	32, 34
Exhaust stroke . . . . .	1.4	7
Exhaust valve . . . . .	1.4	7
Field coils . . . . .	1.25	27
Field excitation . . . . .	1.25	27
Filters, fuel . . . . .	1.26	28
oil . . . . .	1.8	13
Fleming's left-hand motor rule . . . . .	1.25	27
Flushing oil . . . . .	2.12	61
Foot-pounds . . . . .	1.21	25
Four-stroke cycle . . . . .	1.4	7
Fuel		
filters . . . . .	1.6	10
pump . . . . .	1.6, 2.10	10, 59
system . . . . .	1.6	10
tank . . . . .	1.6	10
Gear ratio . . . . .	1.27 <u>c</u>	32
Generator . . . . .	1.26, 1.27, 1.28, 2.19	28, 31, 32, 18
brushes and brush holders . . . . .	2.19 <u>d</u>	71
field windings and leads . . . . .	2.19 <u>b</u>	68
lining up . . . . .	2.18	67

	<u>Paragraph</u>	<u>Page</u>
<b>Ground . . . . .</b>	1.34	36
<b>Ground relay . . . . .</b>	1.34	36
<b>Growler test . . . . .</b>	2.21	77
<b>Heaters . . . . .</b>	1.12	17
<b>Horn . . . . .</b>	1.12	17
<b>Hydrocarbon . . . . .</b>	2.8	57
<b>Injection nozzle . . . . .</b>	2.11	60
<b>Injector . . . . .</b>	1.4, 1.6	7, 9
<b>Insulation . . . . .</b>	2.19, 2.19f	68, 72
<b>testing . . . . .</b>	2.31	88
<b>Insulator . . . . .</b>	1.14	20
<b>Intake stroke . . . . .</b>	1.4	7
<b>Intake valve . . . . .</b>	1.4	7
<b>Intercooler . . . . .</b>	2.14	63
<b>Interlocks . . . . .</b>	1.34, 1.36, 2.30	36, 40 87
<b>Interpoles . . . . .</b>	1.26	28
<b>Journal box bearing . . . . .</b>	2.7	55
<b>Journals . . . . .</b>	1.11	16
<b>Kilowatt output . . . . .</b>	1.28	32
<b>Kinetic energy . . . . .</b>	1.21	25
<b>Knife switch . . . . .</b>	1.8	13
<b>Laminated core . . . . .</b>	1.26	28
<b>Leaf . . . . .</b>	2.31	88
<b>Leakage of electricity . . . . .</b>	2.23	77
<b>Liquid rheostat . . . . .</b>	2.15	65
<b>Load control . . . . .</b>	1.31	35
<b>Load regulator . . . . .</b>	1.31, 2.26	35, 82
<b>Louvers . . . . .</b>	1.7	12
<b>Lubricating system . . . . .</b>	2.12	61
<b>Lubrication . . . . .</b>	1.8	13
<b>faults . . . . .</b>	2.41	98
<b>Magnet Valve . . . . .</b>	1.34	36
<b>Magnetic field . . . . .</b>	1.25	27
<b>Magnetic line of force . . . . .</b>	1.26	28
<b>Main power switches . . . . .</b>	2.24	79
<b>Measuring cylinders . . . . .</b>	2.10	59
<b>Megger . . . . .</b>	1.14	20
<b>Megohm . . . . .</b>	1.14	20
<b>Micrometer . . . . .</b>	2.4	49
<b>Motor . . . . .</b>	1.25, 2.19	27, 68
<b>Multiple-unit operation . . . . .</b>	1.42	44
<b>Neutral point . . . . .</b>	1.26	28
<b>Nozzle . . . . .</b>	2.11	60

	<u>Paragraph</u>	<u>Page</u>
Ohm . . . . .	1.14, 1.16	20
Ohm's law . . . . .	1.18	22
Oil filters . . . . .	1.8	13
Oil system . . . . .	1.8	13
Operating sequence . . . . .	2.30	87
Organizational maintenance . . . . .	2.1	47
Orifice test . . . . .	2.14	63
Overload . . . . .	1.24	27
Oxidation . . . . .	1.8a	13
Oxygen . . . . .	1.5	9
Packing . . . . .	2.7, 2.8	55,57
Parallel circuit . . . . .	1.34	36
Parallel paths . . . . .	1.26	28
Pedestals . . . . .	1.3	5
Pinion gears . . . . .	2.19	68
Piston . . . . .	1.3, 2.3	5,48
crown . . . . .	1.3, 2.3	5,48
lubrication . . . . .	2.8	57
pin . . . . .	1.3, 2.3	5,48
pin bearing . . . . .	1.3, 2.3	5,48
rings . . . . .	1.3, 2.3	5,48
Plunger . . . . .	1.6	9
Pneumatic throttle . . . . .	1.4	7
Pole . . . . .	1.26	28
Pole piece . . . . .	1.26	28
Potential energy . . . . .	1.21	25
Power relay . . . . .	1.27	31
Power unit . . . . .	1.27a	31
Pressure charging . . . . .	1.5	9
Pulley alinement . . . . .	2.5	53
Pump, fuel . . . . .	1.6	9
Pyrometer . . . . .	2.15	65
Radial misalinement . . . . .	2.6	54
Radiator . . . . .	1.7	12
Regulator . . . . .	1.31	35
Relay . . . . .	1.29, 1.34	33,36,
	2.30	87
Relay of power . . . . .	1.27	31
Relay-type voltage regulator . . . . .	2.25	80
Release spring . . . . .	2.8	57
Repacking journals . . . . .	2.7	55
Resistance tests . . . . .	2.31a	88
Reverse lever . . . . .	1.41	42

	<u>Paragraph</u>	<u>Page</u>
Reverser . . . . .	1.32, 2.27	35, 82
Rheostat . . . . .	1.12	17
Rod, connecting . . . . .	1.3	5
Rotary switch . . . . .	1.33	35
Rotary valves . . . . .	2.8	57
Rotor . . . . .	1.25	27
Sand box . . . . .	1.12	17
Sanders . . . . .	2.9	59
Sanding system . . . . .	1.12	17
Scavenging . . . . .	1.4	7
Schematic diagram . . . . .	1.20	22
Seals, oil . . . . .	2.26	82
Sequence testing . . . . .	2.30	87
Series circuit . . . . .	1.26, 1.34	28, 36
Series field . . . . .	1.26	28
Series motor . . . . .	1.29	33
Series-parallel circuit . . . . .	1.34	36
Shaft . . . . .	2.6	54
Shims . . . . .	2.18	67
Short circuit . . . . .	1.23	26
Shunt . . . . .	1.22, 1.29, 1.38	25, 33 40
Slack adjuster . . . . .	1.9	14
Slip rings . . . . .	1.26	28
Speed recorder . . . . .	1.12	17
Stator . . . . .	1.25	27
Strainer . . . . .	2.8	57
Stroke, piston . . . . .	1.2, 1.4	3, 7
Supercharging . . . . .	1.5	9
Swan neck pipe . . . . .	2.10	59
Switches, main power . . . . .	2.24	79
Symbols, electrical . . . . .	1.19	22
Temperature controls . . . . .	1.12	17
Test boxes . . . . .	2.31c	89
Throttle . . . . .	1.34, 1.41	36, 42
Toggle switch . . . . .	1.33	35
Traction motor . . . . .	1.25, 1.26, 1.29, 1.33, 1.38	27, 28, 33, 35 40
axle and pinion gears . . . . .	2.19i	74
axle bearings . . . . .	2.19b	68
pinion gears, replacing . . . . .	2.19i	74
transition . . . . .	1.38, 1.41, 2.30	40, 42 87

	<u>Paragraph</u>	<u>Page</u>
<b>Transition . . . . .</b>	1.38, 1.41	40, 42
<b>forestalling switch . . . . .</b>	1.41	42
<b>lever . . . . .</b>	1.41	42
<b>Transmission . . . . .</b>	1.27	31
<b>Troubleshooting</b>		
<b>battery . . . . .</b>	2.38	97
<b>engine . . . . .</b>	2.34	91
<b>locomotive operation . . . . .</b>	2.35	95
<b>motor . . . . .</b>	2.36	96
<b>Trucks . . . . .</b>	1.11, 2.7	16, 55
<b>Turbine, gas . . . . .</b>	1.5	9
<b>Turnbuckle adjustment . . . . .</b>	2.8	57
<b>Two cycle . . . . .</b>	1.2	3
<b>V-belt . . . . .</b>	2.5	53
<b>Valve seats, grinding . . . . .</b>	2.27 <u>b</u>	84
<b>Variac . . . . .</b>	2.31 <u>c</u>	89
<b>Voltage . . . . .</b>	1.15	20
<b>regulation . . . . .</b>	1.43	44
<b>regulator . . . . .</b>	1.43, 2.25	44, 80
<b>Voltmeter . . . . .</b>	1.23	26
<b>Volts . . . . .</b>	1.14, 1.23, 1.44	20, 26 45
<b>Water box . . . . .</b>	2.15	65
<b>Water jacket . . . . .</b>	1.3, 1.7	5, 12
<b>Wheel mounting . . . . .</b>	2.7	55
<b>Wheel-slip relay . . . . .</b>	1.34	36
<b>Wheels . . . . .</b>	2.7	55
<b>Window wipers . . . . .</b>	1.12	17
<b>Wiring . . . . .</b>	1.24, 2.20	27, 76